Optical Module MSL Level



Overview

The MSL is an electronic standard for the time period in which a moisture sensitive device can be exposed to ambient room conditions (30 °C/85%RH at Level 1; 30 °C/60%RH at all other levels) without taking measures to retard the absorption of moisture. Why are the components of the surface mount technology (SMT) process more sensitive to the effects of moisture than traditional Dual In-line Package (DIP)?

The reason can be summarized as follows: Smaller Package Sizes: SMT components are typically smaller and have higher lead densities compared to. The MSL rating of an IC determines its floor life before board mounting after the drypack packing (MSL2 and higher number ratings) has been opened. Each drypack bag includes a desiccant and a humidity control card, which should be checked immediately after opening the drypack bag for current IC. The Moisture Sensitivity Level (MSL) indicates the floor life of the component, its storage conditions, and handling precautions after the original container has been opened. The permissible time (from opening the moisture barrier bag until the final soldering process) that a component can remain. J-STD-020, officially titled “Moisture/Reflow Sensitivity Classification for Nonhermetic Surface Mount Devices,” is a joint IPC/JEDEC standard that defines the classification procedure for determining moisture sensitivity levels (MSL) of plastic-encapsulated surface mount devices. Moisture Sensitivity Level (MSL), is a key index used to evaluate the ability of non-hermetic surface-mount devices to resist moisture penetration. But when facing PCB manufacturers one often cannot get a clear answer—exactly which.

© 2026 PROMETHEAS OPTICAL - All rights reserved

Article Content

Moisture Sensitivity Levels (MSL) Classifications

Level in the following table indicates the moisture sensitivity level, the level is from 1 to 6, and in principle level 1 (MSL 1) indicates that the parts have

MSL Ratings and Reflow Profiles (Rev. A)

This application reports explains the relationship of MSL rating to the customer production floor life and surface mount reflow temperatures for TI semiconductors.

Moisture sensitivity level

The Moisture Sensitivity Level (MSL) indicates the floor life of the component, its storage conditions, and handling precautions after the original container has been opened.

J-STD-020 Guide: MSL Classification, Reflow Profiles

J-STD-020 defines eight moisture sensitivity levels that indicate how long a component can be exposed to ambient conditions before requiring baking. The

Moisture sensitivity level

Moisture sensitivity level (MSL) relates to the packaging and handling precautions for some semiconductors and is a rating that shows a device''s susceptibility to damage due to absorbed

PCB Moisture-Sensitivity Level (MSL)

In the electronics industry the moisture-sensitivity level, i.e. Moisture Sensitivity Level (MSL), is a key index used to evaluate the ability of non

How to Interpret a Component''s Moisture Sensitivity Level (MSL) Label

Get to know How to Interpret a Component''s Moisture Sensitivity Level (MSL) Label. Our guide helps you navigate MSL ratings and ensures quality in electronics sourcing.

Understanding Moisture Sensitive Levels (MSL) in

In this article, we explore the significance of Moisture Sensitive Levels, the risks associated with moisture exposure, and best practices for

How do I know the MSL (Moisture Sensitivity Level) of the device?

The Moisture Sensitivity Level (MSL) for Microchip devices depends on the package and the assembly site (due to possible differences in material composition). Here are the steps to follow to get the MSL

© 2026 PROMETHEAS OPTICAL - All rights reserved

Moisture Sensitivity Level (MSL) Rating, Material ...

Get to know what is MSL level, Lead Frame Material, MDDS for NOR Flash and NAND Devices and where to find them in package handbook.

Shielding Electronic Components: Understanding

What is Moisture Sensitivity Level (MSL)? Moisture Sensitivity Level (MSL) is a standardized scale used to assess the moisture sensitivity of electronic

Moisture Sensitivity Level (MSL) in Electronics

Moisture Sensitivity Level (MSL) is a critical concept in the semiconductor and electronics manufacturing industry. It means the level of

MSL Ratings: Application/Misapplication PWB s and PWB

This trend coupled with the recent transition to Pb-free products has led to questions regarding Moisture Sensitivity Level (MSL) ratings of Power Modules and subassemblies. Attempts to apply J-STD-020

Moisture Sensitivity Level – MSL

Moisture Sensitivity Level – MSL The Moisture Sensitivity Level (MSL) is a classification system used in the electronics industry to indicate how sensitive a particular integrated circuit (IC) or electronic

What is MSL?|FAQ|ROHM Semiconductor

What is MSL? Short for Moisture Sensitivity Level, MSL is a JEDEC (Joint Electron Device Engineering Council) standard established for the purpose of preventing device failure due to volumetric

What is an MSL level and how do they apply to Luminus LEDs?

Moisture sensitivity level (MSL) relates to packaging and handling precautions for surface mount devices (SMD). The MSL rating provides guidance for the allowable time an opened package can be stor...

Knowledge Base / Moisture Sensitivity Levels (MSL)

So what is MSL? Moisture Sensitivity Levels is a classification system developed by JEDEC that indicates how susceptible a surface mount device is to

The Essential Optical Module Global Buyers List: Find Your Target ...

Unlock global market potential! Discover the most comprehensive optical module buyers list. Find verified contacts, import data, and target high-demand regions.

© 2026 PROMETHEAS OPTICAL - All rights reserved

Contact Us

Continue your research online:

Website: https://prometheas.fr
Technical inquiry: https://prometheas.fr/project-desk.html
North American project region: Ashburn, Loudoun County, Virginia, United States

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 PROMETHEAS OPTICAL - All rights reserved